



xTrace Monitor Installation Guide

Version 2.5.7
Copyright Meisner IT 2008-2017




Installation Guide

Install xTrace monitor

Download the installation setup file from www.iet.co.uk. The setup file is named xtmonxxx.exe where xxx is the version number, e.g. xtmon257


Run xtmonxxx.exe



Accept the license agreement




Select the folder where the software will be located.






Installation Guide

Confirm your selections and press Next to commence installation of the software.



Setup will prompt you to install the Visual C 2008 runtime if this is not yet installed.

Complete the installation by pressing Finish



Create ODBC Data Source

xTrace uses ODBC to access the xTrace database and encyclopaedia views. You will need to create an ODBC data source to connect to the encyclopaedia. See Appendix A for details.

Start using xTrace


If the server components of xTrace has been installed, the xTrace monitor is now ready to use. If this is the first time you use xTrace, it is recommended that you read through the manual to get acquainted with all the features.



Installation Guide


Appendix A - Configuring your ODBC Data Source

- Open the ODBC Data Sources application. See the next section if you are using Windows 64-bit.
- Change to the 'System DSN' tab.
- Click 'Add' to add a new System ODBC Data Source.
- Follow the steps below for the type of Data Source that you need to connect to your encyclopaedia database with...



Oracle CSE (Windows & UNIX)

- Use Oracle's ODBC driver. xTrace has been tested with Oracle 10.01.00.50. Do not use the Microsoft Oracle ODBC Driver. It is recommended that you do not use earlier versions of the Oracle driver.
- Press Finish to create the new Data Source.
- The Oracle-specific connection parameters dialog will appear next. Enter a name for your new ODBC Data Source (the same name as defined in the Setup program) and the TNS Service Name (e.g. DBIE) that you use to connect to the CSE database from your workstation.
- For the User Id, enter the xtrace userid or leave blank.
- Use the *Test Connection* button to make sure it works ok.






Installation Guide

SQLServer CSE

- Choose the SQL Server ODBC Driver.
- Press Finish to create the new Data Source.
- The SQLServer-specific connection parameters dialog will appear next. Enter a name for your new ODBC Data Source (the same name as defined in the Setup program) and the Server name for the SQLServer that holds your CSE.
- Press Next to move onto the Authentication panel.


- It is most common to use *SQL Server authentication* when connecting to SQL Server i.e. userid sa. Check with your CSE administrator what the connection details should be here.



MVS DB2 Host Ency

The IBM DB2 ODBC Driver for Windows is provided with IBM's DB2 Connect Personal Edition. It may also be bundled with other IBM software.



- Install the DB2 Connect software first...







Installation Guide

- Ensure that you have the options selected for *ODBC Support*, and *Administration Tools*.
- Continue through the remainder of the setup and complete the installation of this software.



- Next you need to configure DB2 Connect...
- Launch the *Configuration Assistant*, which should have been installed above.
- On the *Selected* menu, choose *Add Database Using Wizard...*





Installation Guide


- Choose *Manually Configure* and press *Next*.

Manually configure a connection to a database

Select if you know all the information necessary to connect to the desired database. This includes the protocols supported by the remote server, the connection configuration information, and the name of the database.



- For step 2 (protocol), choose TCP/IP only and press *Next*.




- For step 3 (TCP/IP), enter the IP address or DNS Host Name for your z/OS server.
- Also enter the Port number that will service DB2 Connect communications. Default is 446, but check with your DB2 administrator if they have used a different value.




- For step 4 (Database), enter the Database name (alias is normally the same).



- For step 5 (Data Source), tick the box for *Register this database for ODBC* and make sure that *As system data source* is selected. The Data source name should be the same as the Database name specified on the previous dialog.



- For step 6 (Node Options), choose "OS/390 or z/OS" from the drop-down for *Operating System*.
- For *Remote instance name* type in "DB2", although check with your DB2 administrator that this is the correct instance name to use.




- For step 7 (System Options), the defaults suggested should be correct (determined from previous dialogs in the wizard).






Installation Guide

- For step 8 (Security Options), simply choose *Server authentication* and press the *Finish* button to complete the Wizard.
- After completion of the Wizard, you will be given the opportunity to test the connection. If you have a suitable MVS logon that can do this, then perform this test here.



In your Windows ODBC Data Sources, you should find that you have a new Data Source defined for your DB2 connection.





Installation Guide

Configuring a 32-bit ODBC Data Source on 64-bit Windows

The xTrace Monitor requires a 32-bit ODBC Data Source. Therefore if you are installing on a 64-bit Windows Operating System, then you will need to be careful that the ODBC Data Source you define and use is a 32-bit Data Source, and not the default 64-bit Data Source.

The ODBC Data Source shortcut created in the xTrace program folder will use the correct data source manager.

The version of this which is launched via the standard Start Menu shortcut and Control Panel is the 64-bit version. To launch the 32-bit version you must navigate to the appropriate directory and run the executable directly:

...windows\system\odbcad32.exe (the 64-bit ODBC DataSource Manager)
...windows\sysWOW64\odbcad32.exe (the 32-bit ODBC DataSourec Manager)

Only one of these applications can be active at once, so if you already have the 64-bit DSM running, you will need to close it before running the 32-bit version.